GEBO OPTIFEED®

FREE YOUR MIND ON YOUR CLOSURE FEEDING



Performance through **Understanding**



THE ULTIMATE ALL-IN-ONE **CLOSURE FEEDING SOLUTION**

HIGH PERFORMANCE

- Plastic and metal caps, crowns
 From low to high speeds

- Ejection of non-compliant closures without stopping closures flowJam-free elevation

UP TO 91,000 **CLOSURES PER HOUR**

ELEVATION



FULL RELIABILITY

- Waterfall sorting systemPositive elevation up to 6.2 meters

control device

- Upside-down closuresOvalized closuresSeal integrityForeign bodies

- Brand

100% **CLOSURE** COMPLIANCE **AT CAPPER** INFEED



EJECTION

CONTROL

ALREADY EQUIPPED WITH A CAP FEEDING SOLUTION?

GEBO OPTIFEED'S VISION CONTROL MODULE DEVICE IS AVAILABLE AS A STANDALONE MODULE.

UPGRADE YOUR SYSTEM AND ENJOY ENHANCED **PERFORMANCE AND RELIABILITY!**



75% FOOTPRINT REDUCTION

OPTIMIZED OPERATIONS

Modular design with left or right elevation

Outfeed height up to 6,2 meters to fit with

Rationalization of line layout

all lines

Sidel is a leading provider of equipment and services solutions for packaging beverage, food, home and personal care products in PET, can, glass and other materials.

With over 40,000 machines installed in more than 190 countries, we have nearly 170 years of proven experience, with a strong focus on the factory of tomorrow with advanced systems, line engineering and innovation. Our 5,500+ employees worldwide are passionate about providing solutions that fulfil customer needs and boost the **performance** of their lines, products and businesses.

Delivering this level of performance requires that we stay flexible. We continuously ensure we **understand** our customers' changing challenges and commit to meeting their unique performance and sustainability goals. We do this through dialogue and by understanding the needs of their markets, production and value chains. In turn, we apply our solid technical knowledge and smart data analytics to ensure lifetime productivity reaches its full potential.

We call it Performance through Understanding.

190404 – The information in this document contains general descriptions of technical options available, which do not always have to be present in each individual case. The required features should therefore be specified in each individual case at the time of closing the contract. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without previous written approval by the Sidel Group. All Sidel Group's intellectual property rights, including copyright, are reserved by the Sidel Group. All other trademarks are the property of their respective owners.

Performance through Understanding

