JUICES, ISOTONIC, TEAS AND LIQUID DAIRY PRODUCTS







PET SOLUTIONS



ASEPTIC COMBI PREDIS™

- Product integrity and production simplicity: highly safe processing and easy operation
- Cost-efficient and sustainable: no use of water and almost no chemical use for preform sterilisation
- Enhanced flexible aseptic production for still and carbonated beverages



ASEPTIC PREDIS™ X4

- Continuous production cycles lasting more than 200 hours
- Optimum cost-efficiency and environmental footprint
- Wide range of outputs and configurations



TETRA PAK PROCESSING SYSTEMS

- From single component to customer specific line
- Solutions customised to the products' features and needs
- Minimised energy consumption, product waste and water usage



EVODECO ROLL-FED

- High outputs at high-level efficiency
- from 34.000 bph to 90.000 bph in Super Combi configuration
- Roll-Fed technology for wraparound plastic or paper labels



EVODECO ADHESIVE

- Top quality label application
- From 6,000 bph to 66.000 bph
- Pressure sensitive for self-adhesive plastic or paper labels



ROLLQUATTRO EVO

- Unique linear design for faster and smoother operation
- Up to 42.000 bph
- Roll-Fed technology for wraparound plastic or paper labels





Palletising

EVOFLEX

- Fastest columnar low-level palletiser on the market: up to 12 layers per minute
- Double lifting unit on a single central column for a greater machine accessibility
- Advanced and user-friendly experience with tablet-based multitouch panel PC



Conveying

GEBO AQ-HC

- High capacity pressureless accumulation particularly suited to high speed lines with large production flow variations
- Up to 120,000 bottles per hour
- Simple mechanical design with mobile end quide



Conveying

GEBO AQFLEX

- Best performance thanks to high flexibility product handling and accumulation in an all-in-one
- Fastest single-file accumulation from 1,000 to 100,000 bottles per
- Smart product handling principle coupled with proven logic motion technology



Conveying

GEBO AQ-MAX

- Large capacity and lowpressure mass accumulation offering optimised space ratio
- Up to 60,000 containers per hour
- Simple and open conveyor design



Shrink-wrapping

EVOFILM

- High-quality shrink- wrapped packs
- Robustness and maintainability for speed up to 150 cycles per minute (cans) in 3 lanes
- Operability and flexibility, 5 minutes fully automatic changeover



Wrap Around Packing

VERSAWRAP

- Continuous wrap around case packer delivering a 98% efficiency with 9 servo-motors
- High-speed: up to 65 cycles per
- 2-step blank destacking process for high reliability

ENGINEER YOUR PLANT









DESIGN YOUR PACKAGING AND MAKE IT REAL











ENSURE AND EXPAND YOUR COMPLETE LINES PERFORMANCE OVER TIME

Performance



240325 – The information in this document contains general descriptions of technical options available, which do not always have to be present in each individual case. The required features should therefore be specified in each individual case at the time of closing the contract. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without previous written approval by the Sidel Group. All Sidel Group's intellectual property rights, including copyright, are reserved by the Sidel Group. All other trademarks are the property of their respective owners.

